

LUGN

Acoustic totem


myo

AESTHETIC BENEFITS

- 3 fabrics - More than 60 colors
- Customizable (by printing)
- 2 heights
- Stainless-steel feet

TECHNICAL BENEFITS

- Certified acoustic performance:
Test report (EEA)
- Easy to move
- Ready to install
- Product adaptation on demand



MYO_FP-05.2023



5-YEAR
Guarantee



Since 2016

LUGN

Acoustic totem

The Lugn acoustic totem consists of an acoustic absorbent covered with a fabric cover.

FIXING	FABRIC FINISHES			
READY TO INSTALL	TWIST Trevira CS	TWIST MELANGE Trevira CS	HUSH 80% polyester 20% viscose	PRINTED FABRIC
Stainless-steel base	18 colors	17 colors	28 colors	see details below (1)


(1) PRINTED FABRIC

Two options for your cover prints:

- 1- Purchase an image on shutterstock.com, supplied by myO
- 2- Image or logo free of right provided by you, to be forwarded and approved by our services before acceptance of your order.

File(s) to send to image@myo.fr, with your order's reference

Dimensions & Average weights



	AVERAGE WEIGHTS (KG) WITHOUT PACKAGING
390x390x ht.1100 mm	5,8
390x390x ht.2000 mm	7,5

Product Adaptation

A different finish in a fabric other than those offered by myO is possible after validation of the technical and dimensional characteristics.

LUGN

Acoustic totem


myo-solutions.com

Acoustic

The Equivalent Absorption Area (EAA) of an element (A) is expressed in sqm. It characterises the absorptency of the element per frequency band: the higher the value, the greater the absorptency of the element.

f (Hz)	EAA (m ²)	
	1100	2000
100	0,5	1,1
125	0,7	1,2
160	0,9	1,4
200	1,2	2,3
250	1,5	2,7
315	1,5	2,6
400	1,6	3,1
500	1,8	3,3
630	2,0	3,5
800	2,0	3,7
1000	2,0	3,6
1250	2,0	3,3
1600	2,0	3,5
2000	2,0	3,4
2500	1,9	3,4
3150	1,8	3,2
4000	1,8	3,1
5000	1,9	3,0

NF EN ISO 354



Assembly

To allow careful assembly, myO products are delivered with: assembly instructions + a pair of cotton gloves.

