




Stock finishes - Fabric
Finitions stock - Tissus



TWIST




T 60000




T 61104



T 60076



T 60004



T 60011




T 60021



T 67004



T 66018



T 65018



T 63012



T 64013




T 68119



T 62066


TWIST MELANGE



TM 60076



TM 60021




TM 67004



TM 65018



TM 62066



TM 61104



TM 64013


HUSH



H 60159



H 60158



H 60203



H 68103



H 67046



H 66169



H 64120




H 61174

All finishes:
Toutes les finitions :




Gabriel®

TWIST -TWIST MELANGE

Design no.	2445, 2446, 2447
Application	screen
Composition	100% Trevira cs
Weight	370 g/lm (11.93 oz/lin.yd.)
Width	170 cm (67 inches)
Light fastness	5-7
Rubbing fastness	4-5/4-5
Maintenance	wiping down with water
Flammability	ASTM E 84 C-I · NF P 92-503-507 M1 · DIN 4102 - B1 · BS 476-7 C-I · UNI 9177 C-1 IM · UNI 9175 C-1 IM · UNI 9174-UNI 8457 · DIN EN 13501-1 B-s1,d0
US ACT	
Design/colours	Mette Krebs Petersen



HUSH

Design no.	8808
Application	screen
Composition	80% polyester · 20% viscose
Weight	290 g/lm (9.35 oz/lin.yd.)
Width	170 cm (67 inches)
Light fastness	5-7
Rubbing fastness	4-5/4-5
Maintenance	regular vacuum cleaning
Flammability	BS 476-7 Class I · ASTM E 84 Class I · ASTM E 84 Class II Contains no flame retardant chemicals
US ACT	
Design/colours	Design Team Gabriel



Subject to changes and colour differences
Will pass other standards – for complete specifications: gabriel.dk

by Gabriel
& myO

myo@myo.fr
www.myo-solutions.com

